REPORT DOCUMENTATION PAGE

AFRL-SR-BL-TR-00-

Tanners and maintain notice data needed and to	mat in the meter to everage industrial to the content of the conte	seemation to	1545	- 12.
The state of the s	the and the me here or blangement and	studiet Piperi	VAC AND DRIVE	
. AGENCY USE ONLY ILEAVE DIATE	Z. REPORT DATE	3. REPORT TY		1/97 - 5/31/99
	September 30.200	0 Lingi k	Report - 6/	DING NUMBERS
4. TITLE AND SUBTITLE				- 61102F
Droplet Collision in I	Liquid Propellant Co	mbustion	1	- 2308
	•	•	1	- 2308 - AS
				- AS . - F49620-97-1-0205
6. AUTHOR(S)		•	9	. 143020 37 I 0000
Chung K. Law				
7. PERFORMING ORGANIZATION NAM	ME(S) AND ADDRESS(ES)		S. PERF	ORMING ORGANIZATION DRT NUMBER
Princeton University				
Department of Mechanic	cal and Aerospace En	ngineering	ì	
Princeton, NJ 08544			.	
			ļ	·
9. SPONSORING : MONITORING AGEN	CY NAME(S) AND ADDRESS(ES	5)		NSORING MONITORING NCY REPORT NUMBER
AFOSR/NA				
110 Duncan Avenue, Sui	ite Bll5	•		
Bolling AFB, DC 20332	•		1	
		•		
THE PARTY NOTES				
1. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STA	ATEMENT ,		1 12b. DIS	TRIBUTION CODE
				,
Approved for public re	elease; distribution	ıis	i	
limited			Į.	
3. ABSTRACT (Maximum 200 words)		— <u>ን</u> ስ	$\Delta \Delta $	15 NN/ -
3. Auginer imenionate in an		/ U		25 004 ⁻
	•	- U	AAIAF	./ VVT
The selling telepole of	£ 11.4. £ 1	· · · · · · · · · · · · · · · · · · ·	1	11111
The collision behavior of				
collision in high-pressure				
of unlike reactants, were	experimentally studied	d. Results show	wed that the	low-surface tension
fuels do not readily disir				
collision dynamics were				
and molecular dynamics				
extended to simulate the	dynamics of wrinkled fl	ames in comp	lex flows, inc	luding flame-vortex
interaction and the develo				_
	P			
·				
4. SUBJECT TERMS				15. NUMBER OF PAGES
enray atomization dro	ironlet collision spray statistics		~~	4
spray, atomization, droplet collision, spray statistics			us l	16. PRICE CODE
17. SECURITY CLASSIFICATION 18. OF REPORT	SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CL.		20. LIMITATION OF ABSTRACT

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89

Final Report

(June 1, 1997 to May 31, 1999)

DROPLET COLLISION IN LIQUID PROPELLANT COMBUSTION

(Grant No.: F49620-97-1-0205)

Submitted By:

Chung K. Law Mung K. Law

Department of Mechanical and Aerospace Engineering

Princeton University

Princeton, NJ 08544

Phone: 609-258-5178
Fax: 609-258-6233
E-Mail: cklaw@princeton.edu

For Consideration By:

Dr. Mitat Birkan Air Force Office of Scientific Research

Narrative

For the subject grant, experimental and computational research were conducted on the dynamics of droplet collision and flamefront motion. Accomplishments of these two projects are separately discussed in the following.

Droplet Collision Dynamics

The collisional behavior of droplets of low surface tension fuels simulating near-critical droplet collision in high-pressure engines were experimentally studied by adding detergent in conventional liquid fuels. Results show that, contrary to expectation, the colliding droplets spread out but do not readily disintegrate. Coalescence, however, was relatively difficult. Further experiments are being conducted to define the transition to splashing collision.

Collision of non-similar fluids was also experimentally investigated in order to understand the efficiency of impinging atomization of two jets of unlike reactants such as fuel and oxidizer. An unexpected result was observed in that when the two fluids are rheologically immiscible, they actually merged and form a single droplet upon collision at moderate Weber numbers. While it is not clear if mixing at the molecular level occurred, they were certainly mixed at the macroscopic level of the droplet. It is expected that the ability to mix two nominally immiscible fluids could have significant technological implication. Discussion has been initiated with material scientists to identify possible applications.

Droplet collision was simulated using two computational approaches, namely front tracking and molecular dynamics. By using the front tracking technique, the collision sequence in different collision regimes was simulated, the history of pressure and viscous dissipation within the droplet was spatially resolved, and the energy partition among the various modes was identified. By using molecular dynamics, bouncing and coalescence were successfully simulated for the first time

without the artificial manipulation of the inter-droplet gaseous film. Furthermore, splashing collision was also observed.

Flame Dynamics

Considerable efforts were expanded in the development of computational algorithms for the simulation of flame surfaces. The specific emphasis here is the recognition that much of previous efforts in flame simulation did not account for thermal expansion in crossing the flame front. Since heat release across the flame is significant, leading to substantial disparities in the gas density, assumptions of constant density flames are quantitatively inadequate in describing flame dynamics. Furthermore, since density jump across and interface also induces the Landau-Darrieus instability, neglecting thermal expansion also physically falsifies the phenomena of interest.

Two front-tracking algorithms were developed. The first adopts the multi-fluid approach used for the droplet collision simulation. Specifically, in droplet collision there is a great density disparity between the gas and the liquid, which are separated by a sharp deformable interface. This is similar to the situation of a wrinkled flame sheet separating the high-density unburnt gas from the low-density burnt gas. The second algorithm emphasizes the need for a sharp interface, recognizing that the interfaces in existing algorithms actually consist of several numerical grids and hence are not true discontinuities. The algorithm developed is believed to be the most accurate in the simulation of sharp interfaces.

By using these two algorithms, several flame dynamics problems were simulated, including flame-vortex interaction and flamefront instability in large-scale flows. In particular, it was found that wrinkling of a flame surface in the presence of a vortex is very much influenced by the Landau-Darrieus instability instead of the motion of the vortex itself, and that the wrinkling due to large-scale flows can suppress the formation of small-scale instabilities.

Publications

- 1. "A Front Tracking Method for the Motion of Premixed Flames," by J. Qian, G. Tryggvason, and C. K. Law, *Journal of Computational Physics*, Vol. 144, pp. 52-69 (1998).
- 2. "A Numerical Method for Solving Incompressible Flow Problems with a Surface of Discontinuity," by B.T. Helenbrook, L. Martinelli, and C.K. Law, *Journal of Computational Physics*, Vol. 148, pp. 366-396 (1999).
- 3. "The Role of Landau-Darrieus Instability in Large Scale Flows," by B.T. Helenbrook and C.K. Law, *Combustion and Flame*, Vol. 117, pp. 155-169 (1999).
- 4. "Molecular Simulation of Droplet Collision in the Presence of Ambient Gas," by S. Murad and C. K. Law, *Molecular Physics*, Vol. 96, pp. 81-85 (1999).